



X-RAY Comparative Report

Prepared for : Amy McCalllin Evaluation Date : 6/1/2012 Date X-Ray Taken: 6/1/2012

Prepared by: Modern Chiropractic Someplace Drive Somewhere Cityville, Florida 34653



MODERN CHIROPRACTIC

X-RAY Comparative Report

Introduction

During your initial visit to Modern Chiropractic, your evaluation included a radiographic (x-ray) examination. In addition to looking for hidden problems that may be visible on your radiographs, Dr. Joe Ferrantelli digitized your films and used a computerized analysis of your alignment. By measuring your spinal misalignments (called subluxations), Dr. Joe Ferrantelli determined some of the reasons for your health problems.

Your initial radiographic evaluation included the following precision radiographs (commonly called X -rays) that were scientifically analyzed. This analysis, together with my study of your standing posture, was used to devise a customized treatment plan specifically directed to improve your spinal structure. You have now completed this initial treatment plan.

Your progress is established by assessing your symptomatic improvement, changes in function in your daily life and the changes Dr. Joe Ferrantelli has observed in your examination findings.

The measured spinal alignment of your initial radiographic study and this follow-up radiographic examination are compared to each other and to an average normal spinal model. (ref. 1-8)

To help you visualize your structural improvement, your initial and follow-up radiographs are placed side-by-side.

All of the information in this report is consistent with the current scientific literature relevant to structural spinal care.



X-RAY Comparative Report

1: Side View of Your Neck on 3/31/2012



2: Side View of Your Neck on 6/1/2012

Cervical Spinal Level



This colored curved line represents the normal, healthy position for your neck. This dotted line represents where your neck is currently positioned.

Notes about your condition:

Ms. McCalllin, your head on your initial x-ray was positioned 6.7mm forward (0mm is ideal normal), and on the comparative x-ray your head was positioned 1.9mm forward, which accounts for a total change of 71.6%.

Your overall measurement of your neck curve was measured initially -3.2 degrees (-42.0 degrees is the normal average based on age), and on the comparative x-ray it measured - 32.2 degrees, which is a total change of 906.3%.

On your second x-ray your total neck curve is 23.3% decreased from normal.

Please note, the positive and negative signs placed in front of your spinal measurements indicate the direction which your bones have moved.



X-RAY Comparative Report

- Harrison DD, Janik TJ, Troyanovich SJ, Holland B. Comparisons of Lordotic Cervical Spine Curvatures to a Theoretical Ideal Model of the Static Sagittal Cervical Spine. Spine 1996;21(6):667-675.
- [2] Harrison DD, Janik TJ, Troyanovich SJ, Harrison DE, Colloca CJ. Evaluations of the Assumptions Used to Derive an Ideal Normal Cervical Spine Model. J Manipulative Physiol Ther 1997; 20(4): 246-256.
- [3] Troyanovich SJ, Cailliet R, Janik TJ, Harrison DD, Harrison DE. Radiographic Mensuration Characteristics of the Sagittal Lumbar Spine From A Normal Population with a Method to Synthesize Prior Studies of Lordosis. J Spinal Disord 1997;10(5): 380-386.
- [4] Harrison DD, Cailliet R, Janik TJ, Troyanovich SJ, Harrison DE, Holland B. Elliptical Modeling of the Sagittal Lumbar Lordosis and Segmental Rotation Angles as a Method to Discriminate Between Normal and Low Back Pain Subjects. J Spinal Disord 1998; 11(5): 430-439.
- [5] Janik TJ, Harrison DD, Cailliet R, Troyanovich SJ, Harrison DE. Can the Sagittal Lumbar Curvature be Closely Approximated by an Ellipse? J Orthop Res 1998; 16(6):766-70.
- [6] Harrison DE, Janik TJ, Harrison DD, Cailliet R, Harmon S. Can the Thoracic Kyphosis be Modeled with a Simple Geometric Shape? The Results of Circular and Elliptical Modeling in 80 Asymptomatic Subjects. J Spinal Disord Tech 2002; 15(3): 213-220.
- [7] Harrison DD, Harrison DE, Janik TJ, Cailliet R, Haas JW. Do Alterations in Vertebral and Disc Dimensions Affect an Elliptical Model of the Thoracic Kyphosis? Spine 2003; 28(5): 463-469.
- [8] Harrison DD, Harrison DE, Janik TJ, Cailliet R, Haas JW, Ferrantelli J, Holland B. Modeling of the Sagittal Cervical Spine as a Method to Discriminate Hypo-Lordosis: Results of Elliptical and Circular Modeling in 72 Asymptomatic Subjects, 52 Acute Neck Pain Subjects, and 70 Chronic Neck Pain Subjects. Spine 2004; 29(22):2485-2492.
- [9] Zaleski BW, Wood J. A comparison of Palmer package and Chiropractic Biophysics for the treatment of pain. Proceedings of the International Conference on Spinal Manipulation 1992; Chicago, IL., May 15-17.
- [10] Grimston SK, Engsberg JR, Shaw L, Vetanze NW. Muscular rehabilitation prescribed in coordination with prior chiropractic therapy as a treatment for sacroiliac subluxation in female distance runners. Chiropractic Sports Med 1990; 4(1):2-8.
- [11] Harrison DE, Harrison DD, Cailliet R, Janik TJ, Holland B. Changes in Sagittal Lumbar Configuration with a New Method of Extension Traction: Non-randomized Clinical Control Trial. Arch Phys Med Rehab 2002;83(11): 1585-1591.
- [12] Harrison DD, Jackson BL, Troyanovich SJ, Robertson GA, DeGeorge D, Barker WF. The Efficacy of Cervical Extension-Compression Traction Combined with Diversified Manipulation and Drop Table Adjustments in the Rehabilitation of Cervical Lordosis. J Manipulative Physiol Ther 1994;17(7): 454-464.
- [13] Harrison DE, Harrison DD, Betz J, Colloca CJ, Janik TJ, Holland B. Increasing the Cervical Lordosis with Seated Combined Extension-Compression and Transverse Load Cervical Traction with Cervical Manipulation: Non-randomized Clinical Control Trial. J Manipulative Physiol Ther 2003; 26(3): 139-151.
- [14] Harrison DE, Cailliet R, Harrison DD, Janik TJ, Holland B. New 3-Point Bending Traction Method of Restoring Cervical Lordosis Combined with Cervical Manipulation: Non-randomized Clinical Control Trial. Arch Phys Med Rehab 2002; 83(4): 447-453.

- [15] Harrison DE, Harrison DD, Haas JW, Betz JW, Janik TJ, Holland B. Conservative Methods to Correct Lateral Translations of the Head: A Non-randomized Clinical Control Trial. J Rehab Res Devel 2004;41(4):631-640.
- [16] Harrison DE, Cailliet R, Betz JW, Harrison DD, Haas JW, Janik TJ, Holland B. Harrison Mirror Image Methods for Correcting Trunk List: A Non-randomized Clinical Control Trial. Eur Spine J 2004; Euro Spine J 2005; 14(2):155-162.

References